


QUBICA AMF




Formula **ACC**

HVO **SUMMIT**

Utopia
LANE LUBRICANT

QUBICA AMF




Formula **ACC**

HVO **SUMMIT**

Utopia
LANE LUBRICANT

QUBICA AMF



7 Pin Side

First Tape Reading
10 Pin Side

Formula **ACC**

HVO **SUMMIT**

Utopia
LANE LUBRICANT

Name: 2008 Mexico

BUFFER Mode:

Distance - Ft

OIL Mode:

Distances - Ft

left outside:

left back:

left inside:

right inside:

right back:

right outside:

Transfer Rate %

SPEED SETTINGS:

Travel

Condition

Strip

Pass 1		Pass 2	
Forward	Reverse	Forward	Reverse
41.0	41.2	21.0	26.0

Pass 1		Pass 2	
Forward	Reverse	Forward	Reverse
18.0	0.0	1.0	0.0
22.0	18.0	4.0	0.0
16.0	26.0	17.0	16.0
33.0	30.0	20.0	24.0
25.0	18.0	7.0	8.0
18.0	0.0	1.0	0.0

Transfer Rate %	Transfer Rate %
25	55
100	85

Short Run Mode: Off

Turn-around Distance: 0.0 Ft

Stripping Mode: Full


Start: 0.0 Ft

Cleaner Pad Distance: 61.5 Ft

Vacuum: On Start

Cleaner Flow In oil: 100 %

Back late: 50 %



Graph layers:

- ☒ Oil Pass 1 Forward
- ☒ Oil Pass 1 Reverse
- ☒ Oil Pass 2 Forward
- ☒ Oil Pass 2 Reverse
- ☐ Stripping